

Williamsburg Papers at a Glance

Williamsburg Offset *PLUS*

Finish	Basis Wt.	GSM	Caliper	Smoothness	Brightness	Opacity	Stock	Cert.
Smooth	20/50	74	3.9	150	94	90	C	SFI®
	24/60	89	4.5	150	94	92	C	SFI®
	28/70	104	5.3	150	94	94	C	SFI®

Williamsburg Offset

Finish	Basis Wt.	GSM	Caliper	Smoothness	Brightness	Opacity	Stock	Cert.
Smooth	45	67	3.6	150	94	88	R	SFI®
	20/50	74	3.9	150	94	90	C S R	SFI®
	24/60	89	4.5	150	94	92	C S R	SFI®
	28/70	104	5.3	150	94	94	C S R	SFI®
	32/80	118	6.0	150	94	95	C S	SFI®
Vellum	20/50	74	4.3	250	94	90	R	SFI®
	24/60	89	5.1	250	94	92	R	SFI®

Williamsburg Offset Recycled

Finish	Basis Wt.	GSM	Caliper	Smoothness	Brightness	Opacity	Stock	Cert.
Smooth	20/50	74	3.9	150	92	90	S	SFI®
	24/60	89	4.5	150	92	92	S	SFI®
	28/70	104	5.3	150	92	94	S	SFI®

Williamsburg Return Postcard *PLUS*

Gurley	Basis Wt.	GSM	Caliper	Smoothness	Brightness	Opacity	Stock	Cert.
Low	75	111	7.4	330	92	95	C	SFI®

Williamsburg Return Postcard

Gurley	Basis Wt.	GSM	Caliper	Smoothness	Brightness	Opacity	Stock	Cert.
Low	75	111	7.4	330	92	95	C S R	SFI®
Low	97	144	9.5	330	92	97	C R	SFI®
High	77.5	115	7.4	330	92	95	R	SFI®

SFI® indicates Sustainable Forestry Initiative SFI® certified

C=Cartons, S=Skids, R=Rolls

Williamsburg Return Postcard

- Features**
- 7pt., 9pt. (Low Gurley) and 7pt. (Hi Gurley)
 - Hi-Bulk finish
 - 92 brightness, Blue-White shade
 - Acid-free for added archival quality that extends the life of the document

- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - 7pt. meets minimum USPS 7pt. reply card specifications
 - 9pt. meets minimum USPS 9pt. reply card specifications

End Uses Reply cards, posters, menus, table tents

Colors White

Position Reply card

Target Values

Gurley	Caliper	Smoothness	Brightness	Opacity	Stock
Low	7.4	330	92	95	C S R
Low	9.5	330	92	97	C R
Hi	7.4	330	92	95	R

C=Cartons, S=Skids, R=Rolls

Williamsburg Return Postcard *PLUS*

- Features**
- 7pt.
 - Hi-Bulk finish
 - 92 brightness, Blue-White shade
 - Cut-size version of Williamsburg Return Postcard
 - Acid-free for added archival quality that extends the life of the document
 - Guaranteed to run on small and large offset presses, digital imaging equipment, including copiers, laser and inkjet printers, as well as plain-paper fax machines that accept vellum finish papers

- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Meets minimum USPS 7pt. reply card specifications

End Uses Reply cards, posters, menus, table tents

Colors White

Position Reply card

Target Values

Finish	Caliper	Smoothness	Brightness	Opacity	Stock
Hi-Bulk	7.4	330	92	95	C

C=Cartons

Williamsburg Recycled Offset

- Features**
- 3 basis weights (50, 60, 70lb.)
 - Smooth finish
 - 92 brightness, Blue-White shade
 - 30% post-consumer fiber
 - Acid-free for added archival quality that extends the life of the document
- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Williamsburg Papers meet the *ANSI/NISO Z39.48-1992 requirement for paper permanence and National Association of State Textbook Administrators (NASTSA) specifications*
 - Maximum height of 45" for Press Ready Skids
- End Uses** Brochures, direct mail, bill stuffers, manuals, books, posters, catalogs, place mats, financial statements, newsletters

Colors White

Target Values

Finish	Basis Wt.	Caliper	Smoothness	Brightness	Opacity	Stock
Smooth	20/50	3.9	150	92	90	S
	24/60	4.5	150	92	92	S
	28/70	5.3	150	92	94	S

S= Skids

Williamsburg Offset

- Features**
- 5 basis weights (45, 50, 60, 70, 80lb.)
 - 2 finishes (Smooth, Vellum)
 - 94 brightness, Blue-White shade
 - Acid-free for added archival quality that extends the life of the document
 - Forest Stewardship Council™ FSC® certified product available as a make request

- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
 - Williamsburg Papers meet the *ANSI/NISO Z39.48-1992 requirement for paper permanence and National Association of State Textbook Administrators (NASTSA) specifications*
 - Maximum height of 45" for Press Ready Skids

End Uses Brochures, direct mail, bill stuffers, manuals, books, posters, catalogs, place mats, financial statements, newsletters

Colors White

Target Values

Finish	Basis Wt.	Caliper	Smoothness	Brightness	Opacity	Stock
Smooth	45	3.6	150	94	88	R
	20/50	3.9	150	94	90	C S R
	24/60	4.5	150	94	92	C S R
	28/70	5.3	150	94	94	C S R
	32/80	6.0	150	94	95	C S
Vellum	20/50	4.3	250	94	90	R
	24/60	5.1	250	94	92	R

C=Cartons, S=Skids, R=Rolls

Williamsburg Offset *PLUS*

- Features**
- Digital
 - 3 basis weights (50, 60, 70lb.)
 - Smooth finish
 - 94 brightness, Blue-White shade
 - Williamsburg Offset *PLUS* rolls available on a making basis
 - Acid-free for added archival quality that extends the life of the document
 - Guaranteed to run on small and large offset presses, digital imaging equipment, including copiers, laser and inkjet printers, as well as plain-paper fax machines
- Benefits**
- Superior runnability, uniform quality and excellent printability
 - Excellent strength, bulk and stiffness
- End Uses** Brochures, direct mail, bill stuffers, manuals, books, posters, place mats, financial statements, newsletters
- Colors** White

Target Values

Finish	Basis Wt.	Caliper	Smoothness	Brightness	Opacity	Stock
Smooth	20/50	3.9	150	94	90	C
	24/60	4.5	150	94	92	C
	28/70	5.3	150	94	94	C

C= Cartons

Williamsburg Return Postcard

Rolls



Stock Code	Width	Dia	Points	Avg Lin Ft/Roll	Avg Wt/Roll	Grade Code
White						
05411	11 ⁺⁺	40	7 pt.	16,000	336	6897
05412	17	40	7 pt.	16,000	519	6897
05413	17 ⁺⁺	40	7 pt.	16,000	519	6897
05414	17 1/2	40	7 pt.	16,000	535	6897
05415	17 1/2 ⁺⁺	40	7 pt.	16,000	535	6897
05488	18 ⁺⁺	40	7 pt.	16,000	550	6897
05416	23	40	7 pt.	16,000	700	6897
05417	35	40	7 pt.	16,000	1,066	6897
05468	17 ⁺⁺	40	9 pt.	12,000	504	6897
05469	17 1/2 ⁺⁺	40	9 pt.	12,000	516	6897
05471	35	40	9 pt.	12,000	1,032	6897

++ Rolls wrapped 2 per bundle.

Williamsburg Return Postcard – Hi Gurley

Rolls



Stock Code	Width	Dia	Points	Avg Lin Ft/Roll	Avg Wt/Roll	Grade Code
White						
05451	17 ⁺⁺	40	7 pt.	15,700	528	6904
05452	17 1/2 ⁺⁺	40	7 pt.	15,700	544	6904
05453	35	40	7 pt.	15,700	1,070	6904

++ Rolls wrapped 2 per bundle.

Williamsburg Offset Recycled Press Ready – Smooth Skids



Stock Code	Size	Grain	Basis Wt	Wt/M Shts	Shts/Skid	Wt/Skid	Grade Code
------------	------	-------	----------	-----------	-----------	---------	------------

White

17033	23 x 35	L	70	119	7,500	893	7898
17034	25 x 38	L	70	140	7,500	1,050	7898
17039	28 x 40	L	70	166	7,500	1,245	7898

Screen indicates new item.

Williamsburg Return Postcard *PLUS*

Cartons



Stock Code	Size	Grain	Points	Wt/M Shts	Shts/Ctn	Ctn/Pal	Wt/Pal	Grade Code
------------	------	-------	--------	-----------	----------	---------	--------	------------

White

05403	8½ x 11	L	7 pt.	14.76	2,500	48	1,771	7903
05404	11 x 17	L	7 pt.	29.52	1,250	48	1,771	7903

Williamsburg Return Postcard

Cartons



Stock Code	Size	Grain	Points	Wt/M Shts	Shts/Ctn	Ctn/Pal	Wt/Pal	Grade Code
------------	------	-------	--------	-----------	----------	---------	--------	------------

White

05405	17½ x 22½	L	7 pt.	62	2,400	12	1,786	7897
05406	23 x 29	L	7 pt.	105	1,100	14	1,617	7897
05407	23 x 35	L	7 pt.	127	1,200	12	1,829	7897
05408	25 x 38	L	7 pt.	150	1,000	14	2,100	7897
05465	23 x 35	L	9 pt.	164	900	12	1,771	7897
05466	25 x 38	L	9 pt.	194	800	14	2,173	7897

Williamsburg Return Postcard

Skids



Stock Code	Size	Grain	Points	Wt/M Shts	Shts/Skid	Wt/Skid	Grade Code
------------	------	-------	--------	-----------	-----------	---------	------------

White

05409	23 x 35**	L	7 pt.	127	16,000	2,032	7897
05410	25 x 38**	L	7 pt.	150	16,000	2,400	7897

**Packed on splitable skid.

Williamsburg Offset – Smooth Finish

Rolls



Stock Code	Width	Dia	Basis Wt	Avg Lin Ft/Roll	Avg Wt/ Roll	Grade Code
White						
05371	11 ⁺⁺	40	60	24,500	397	6895
05372	17 ⁺⁺	40	60	24,500	614	6895
05373	17½ ⁺⁺	40	60	24,500	631	6895
05374	18 ⁺⁺	40	60	24,500	650	6895
05375	23	40	60	24,500	827	6895
05376	35	40	60	24,500	1,263	6895
05377	35½	40	60	24,500	1,281	6895
05464	35	50	60	38,300	1,991	6895
05458	17½ ⁺⁺	40	70	21,100	641	6895
05459	23	40	70	21,100	842	6895
05460	35	40	70	21,100	1,277	6895

++ Rolls wrapped 2 per bundle.

Williamsburg Offset – Vellum Finish

Rolls



Stock Code	Width	Dia	Basis Wt	Avg Lin Ft/Roll	Avg Wt/ Roll	Grade Code
White						
05390	11 ⁺⁺	40	50	25,275	368	6896
05391	17 ⁺⁺	40	50	25,275	589	6896
05396	11 ⁺⁺	40	60	20,800	374	6896
05397	17 ⁺⁺	40	60	20,800	570	6896
05399	18 ⁺⁺	40	60	20,800	621	6896

++ Rolls wrapped 2 per bundle.

Williamsburg Offset Recycled Press Ready – Smooth Skids



Stock Code	Size	Grain	Basis Wt	Wt/M Shts	Shts/ Skid	Wt/ Skid	Grade Code
White							
17058	17½ x 22½*	L	50	41	20,000	820	7898
17023	23 x 35	L	50	85	10,000	850	7898
17024	25 x 38	L	50	100	10,000	1,000	7898
17041	28 x 40	L	50	118	10,000	1,180	7898
17027	17½ x 22½*	L	60	50	17,000	850	7898
17029	19 x 25*	L	60	60	17,000	1,020	7898
17030	23 x 35	L	60	102	8,500	867	7898
17031	25 x 38	L	60	120	8,500	1,020	7898
17032	28 x 40	L	60	142	8,500	1,207	7898

* All Press Ready Skids are 1 tier, with the exception of 17.5 x 22.5 and 19 x 25, which are 2 tiers.
Screen indicates new item.

Williamsburg Offset Press Ready – Smooth Finish

Skids



Stock Code	Size	Grain	Basis Wt	Wt/M Shts	Shts/Skid	Wt/Skid	Grade Code
White							
17001	17.5 x 22.5*	L	50	41	20,000	820	7895
17015	19 x 25*	L	50	50	20,000	1,000	7895
17016	23 x 29	L	50	70	10,000	700	7895
17002	23 x 35	L	50	85	10,000	850	7895
17017	24 x 36	L	50	90	10,000	900	7895
17003	25 x 38	L	50	100	10,000	1,000	7895
17004	28 x 40	L	50	118	10,000	1,180	7895
17005	17.5 x 22.5*	L	60	50	17,000	850	7895
17006	19 x 25*	L	60	60	17,000	1,020	7895
17007	23 x 29	L	60	84	8,500	714	7895
17008	23 x 35	L	60	102	8,500	867	7895
17018	24 x 36	L	60	110	8,500	935	7985
17009	25 x 38	L	60	120	8,500	1,020	7895
17010	28 x 40	L	60	142	8,500	1,207	7895
17011	23 x 35	L	70	119	7,500	893	7895
17012	25 x 38	L	70	140	7,500	1,050	7895
17013	28 x 40	L	70	166	7,500	1,245	7895
17014	25 x 38	L	80	160	6,500	1,040	7895

*All Press Ready Skids are 1 tier, with the exception of 17.5 x 22.5 and 19 x 25, which are 2 tiers.
Screen indicates new item.

Williamsburg Offset – Smooth Finish

Rolls



Stock Code	Width	Dia	Basis Wt	Avg Lin Ft/Roll	Avg Wt/Roll	Grade Code
White						
05457	35	40	45	31,400	1,280	6895
05365	11 ⁺⁺	40	50	28,600	400	6895
05366	17 ⁺⁺	40	50	28,600	619	6895
05367	17½ ⁺⁺	40	50	28,600	632	6895
05483	18 ⁺⁺	40	50	28,600	660	6895
05368	23	40	50	28,600	839	6895
05369	35	40	50	28,600	1,270	6895
05370	35½	40	50	28,600	1,285	6895
05461	23	50	50	45,000	1,289	6895
05462	35	50	50	45,000	1,981	6895

⁺⁺Rolls wrapped 2 per bundle.

Williamsburg Offset PLUS – Smooth Finish**Cartons**

Stock Code	Size	Grain	Basis Wt	Wt/M Shts	Shts/Ctn	Ctn/Pal	Wt/Pal	Grade Code
White								
05317	11 x 17	L	50	19.68	2,500	40	1,968	7891
05324	8½ x 11	L	60	11.80	5,000	32	1,890	7891
05325	8½ x 11 3-Hole Punched	L	60	11.80	5,000	32	1,890	7891
05326	8½ x 14	L	60	15.02	4,000	30	1,802	7891
05327	11 x 17	L	60	23.62	2,500	32	1,890	7891
05335	8½ x 11	L	70	13.76	4,000	32	1,761	7891
05336	8½ x 14	L	70	17.52	4,000	30	2,102	7891
05337	11 x 17	L	70	27.54	2,000	32	1,763	7891

Williamsburg Offset – Smooth Finish**Cartons**

Stock Code	Size	Grain	Basis Wt	Wt/M Shts	Shts/Ctn	Ctn/Pal	Wt/Pal	Grade Code
White								
05318	17½ x 22½	L	50	41	4,200	14	2,411	7895
05319	19 x 25	L	50	50	3,400	16	2,720	7895
05320	23 x 29	L	50	70	2,000	14	1,960	7895
05321	23 x 35	L	50	85	1,800	14	2,142	7895
05322	25 x 38	L	50	100	1,600	16	2,560	7895
05323	28 x 40	L	50	118	1,300	10	1,534	7895
05328	17½ x 22½	L	60	50	3,200	14	2,240	7895
05329	19 x 25	L	60	60	2,600	16	2,496	7895
05330	23 x 29	L	60	84	1,800	12	1,815	7895
05331	23 x 35	L	60	102	1,500	14	2,142	7895
05332	25 x 38	L	60	120	1,300	16	2,496	7895
05333	28 x 40	L	60	142	1,100	10	1,551	7895
05338	17½ x 22½	L	70	58	2,400	14	1,949	7895
05339	19 x 25	L	70	70	2,000	16	2,240	7895
05340	23 x 29	L	70	98	1,500	12	1,764	7895
05341	23 x 35	L	70	119	1,300	16	2,475	7895
05342	25 x 38	L	70	140	1,100	18	2,772	7895
05343	28 x 40	L	70	166	1,000	10	1,660	7895
05344	23 x 29	L	80	112	1,300	14	2,038	7895
05345	23 x 35	L	80	136	1,200	14	2,285	7895
05346	25 x 38	L	80	160	1,000	18	2,880	7895